



Lloyd's Register Approved Service Supplier

Supplier

Seas Services

Address

BP 4501 - Zone Portuaire N°2, Pointe Noire-Congo, The Democratic Republic of Congo

Contact Details

E-mail : contactcongo@seas-safety.com

Contact Number

Contact Person : Nathalie Beckers

The above company having been assessed hereby receives approval in accordance with the requirements of Lloyd's Register Procedures for Approval of Service Suppliers as Supplier from the address(es) listed above for the provision of

Maintenance, thorough Examination, Operational Testing, Overhaul and Repair of Lifeboats and Rescue Boats, Launching Appliances and Release Gear

Service Supplier's personnel are certified in accordance with manufacturers' established certification programme. The service supplier is authorised to work on the makes and types shown in the attached appendix A.

This Service Supplier has been approved to service the equipment in accordance with IMO Resolution MSC.402(96), as amended.

Service engineers are to be provided with a valid Certificate, issued by this Approved Service Supplier, which defines their level of qualification and the scope of the certification (i.e. makes and types of equipment and specifically state which activities (e.g. annual thorough examination and operational tests; 5-year thorough examination, overhaul; overload operational tests; repairs) are covered by the certification). This Certificate should be made available when requested.

Hydraulic Tests Of Low And High Pressure Cylinders

Mounir Ayoubi

Surveyor - Marine & Offshore to Lloyd's Register EMEA
A member of the Lloyd's Register group

71 Fenchurch Street, London, EC3M 4BS, United Kingdom

Lloyd's Register Group Limited, its affiliates and subsidiaries and their respective officers, employees or agents are, individually and collectively, referred to in this clause as 'Lloyd's Register'. Lloyd's Register assumes no responsibility and shall not be liable to any person for any loss, damage or expense caused by reliance on the information or advice in this document or howsoever provided, unless that person has signed a contract with the relevant Lloyd's Register entity for the provision of this information or advice and in that case any responsibility or liability is exclusively on the terms and conditions set out in that contract.



Lloyd's Register Approved Service Supplier

Inspections And Maintenance Of Self-Contained Breathing Apparatus

Service Of Immersion Suits, Thermal Protective Aids, And Chemical Protective Clothing

Inspections And Maintenance Of Fire-Extinguishing Equipment And Systems

Inspection, Performance Testing and Maintenance of Long Range Identification and Tracking (LRIT) Systems, and Ship Security Alert (SSA) Systems

Approved technicians:

- 1 - Louis de DURAND de PREMORÉL
- 2 - Melchi JEARED MABOUNDOU SINDIKA
- 3 - Christophe LEBON
- 4 - Kouame FABRICE KOUASSI

Annual Performance Testing Of Voyage Data Recorders (VDR) And Simplified Voyage Data Recorders (S-VDR)

Approved for the following make and type:

- 1 - FURUNO ELECTRIC CO., LTD
FURUNO VR-3000,3000S,5000
VR7000 VDR

71 Fenchurch Street, London, EC3M 4BS, United Kingdom

Lloyd's Register Group Limited, its affiliates and subsidiaries and their respective officers, employees or agents are, individually and collectively, referred to in this clause as 'Lloyd's Register'. Lloyd's Register assumes no responsibility and shall not be liable to any person for any loss, damage or expense caused by reliance on the information or advice in this document or howsoever provided, unless that person has signed a contract with the relevant Lloyd's Register entity for the provision of this information or advice and in that case any responsibility or liability is exclusively on the terms and conditions set out in that contract.



Lloyd's Register Approved Service Supplier

Annual Performance Testing Of Voyage Data Recorders (VDR) And Simplified Voyage Data Recorders (S-VDR)

2 - AMI Marine Ltd
AMI VR2272B/X2272
AMI X-Series VDR

Approved technicians:

- 1 - Louis de DURAND de PREMORÉL
- 2 - Melchi JEARED MABOUNDOU SINDIKA
- 3 - Christophe LEBON

Inspection, Performance Testing and Maintenance of Automatic Identification Systems (AIS)

Approved technicians:

- 1 - Louis de DURAND de PREMORÉL
- 2 - Melchi JEARED MABOUNDOU SINDIKA
- 3 - Christophe LEBON
- 4 - Kouame FABRICE KOUASSI

Surveys, Servicing And Testing Of Radio Communication Equipment

Approved technicians:

- 1 - Louis de DURAND de PREMORÉL
- 2 - Melchi JEARED MABOUNDOU SINDIKA
- 3 - Christophe LEBON
- 4 - Kouame FABRICE KOUASSI

71 Fenchurch Street, London, EC3M 4BS, United Kingdom

Lloyd's Register Group Limited, its affiliates and subsidiaries and their respective officers, employees or agents are, individually and collectively, referred to in this clause as 'Lloyd's Register'. Lloyd's Register assumes no responsibility and shall not be liable to any person for any loss, damage or expense caused by reliance on the information or advice in this document or howsoever provided, unless that person has signed a contract with the relevant Lloyd's Register entity for the provision of this information or advice and in that case any responsibility or liability is exclusively on the terms and conditions set out in that contract.



Lloyd's Register Approved Service Supplier

Servicing Of Inflatable Liferrafts, Inflatable Lifejackets, Hydrostatic Release Units, Marine Evacuation Systems

Approved for the following make and type:

1 - SURVITEC RFD

RFD Surviva ('Mk I') DL 12-25 person
RFD Surviva ('Mk I') TO 6-25 person
RFD Surviva Mk II 4-16 person
RFD Surviva Mk III DL 12-25 person
RFD Surviva Mk III TO 6-25 person
RFD Surviva Mk IV DL 12-25 person
RFD Surviva Mk IV TO 6-25 person
RFD Surviva R (SR) DL 25-35 person
RFD Surviva R (SR) TO 25-35 person

2 - SURVITEC DSB

DSB LR 05 (6-25 Person)
DSB LR 05 L (12-25 Person)
DSB LR 07 (6-25 Person)
DSB LR 07 L (12-25 Person)
DSB LR 86 (6-25 Person)
DSB LR 86 L (12-25 Person)
DSB LR 97 (6-25 Person)
DSB LR 97 L (12-25 Person)
DSB LR 97 L SR (25 & 35 Person)
DSB LR 97 R (28, 50/51 Person)
DSB LR 97 SR (25, 35, 50 Person)

3 - SurvitecZodiac

SurvitecZodiac DL, Up to 25 person
SurvitecZodiac DL SR, Up to 25 person
SurvitecZodiac MK IV DL, Up to 25 person
SurvitecZodiac MK IV TO, Up to 25 person
SurvitecZodiac MoR, 10 person
SurvitecZodiac ORIL, Up to 50 person
SurvitecZodiac TO, Up to 50 person

71 Fenchurch Street, London, EC3M 4BS, United Kingdom

Lloyd's Register Group Limited, its affiliates and subsidiaries and their respective officers, employees or agents are, individually and collectively, referred to in this clause as 'Lloyd's Register'. Lloyd's Register assumes no responsibility and shall not be liable to any person for any loss, damage or expense caused by reliance on the information or advice in this document or howsoever provided, unless that person has signed a contract with the relevant Lloyd's Register entity for the provision of this information or advice and in that case any responsibility or liability is exclusively on the terms and conditions set out in that contract.



Lloyd's Register Approved Service Supplier

Servicing Of Inflatable Liferrafts, Inflatable Lifejackets, Hydrostatic Release Units, Marine Evacuation Systems

4 - VIKING

KF, DKF, DKF+, DKFS, DKFS+ S30 up to 39 persons
UK, CL, UKL, UKSL, UKCL liferafts: All sizes
K, DK, DK+, DKS, DKR, IBA S30 up to 65 persons
DKR/IBA/RDV liferafts without remote release system: Up to 75 persons
MOR (Means of Rescue) S30
VIKING Inflatable Lifejackets

This approval is conditional upon the Supplier maintaining the documented scheme as audited by any member of the Lloyd's Register Group and hereby approved; and notifying Lloyd's Register in writing of any change to that scheme including any change in personnel, equipment or procedures. This certificate is issued to the Supplier and, subject to the Supplier complying with the necessary conditions, is valid to the date referred to above.

71 Fenchurch Street, London, EC3M 4BS, United Kingdom

Lloyd's Register Group Limited, its affiliates and subsidiaries and their respective officers, employees or agents are, individually and collectively, referred to in this clause as 'Lloyd's Register'. Lloyd's Register assumes no responsibility and shall not be liable to any person for any loss, damage or expense caused by reliance on the information or advice in this document or howsoever provided, unless that person has signed a contract with the relevant Lloyd's Register entity for the provision of this information or advice and in that case any responsibility or liability is exclusively on the terms and conditions set out in that contract.



APPENDIX A

Office: **Casablanca**

Date: **01 July 2025**

This Certificate is issued to SEAS SERVICES CONGO

The service supplier has been approved to service the following equipment in accordance with MSC 402 (96).

SL No	MAKE	MODEL/ APPLIANCES
1	JIANGYIN WOLONG F.R. P BOAT CO., LTD	<p><u>LIFEBOAT / RESCUE BOAT</u></p> <p>Totally Enclosed Lifeboat JY50C/F, JY50CA/FA, JY57C/F, JY60C/E/F, JY65C/F, JY70C/F, JY80C/F, JY80CA/FA JY85C/F, JY85CA/FA, JY85CB/FB, JY93C/F, JY102/F, JY117C/F</p> <p>Free Fall lifeboat JY49CF/FF, JY59CF/FF, JY67CF/FF, JY85CF/FF, JY109CF/FF</p> <p>Rescue boat JY40KR, JY42KR, JY45DR, JY45KR, JY50R, JY54KR, JY60KR, JY65KR, JY75KR, JY85KR</p> <p>Partially Enclosed Lifeboat JY70P, JY80P, JY85P</p> <p>Open Type Lifeboat JY45KR, JY55K, JY65K, JY70K, JY75K, JY80K, JY85K</p> <p><u>LAUNCHING APPLIANCES</u></p> <p>Gravity Luffing Arm Type Davit JY-LE14, JY-LE65, JY-LE85, JY-LE100, JY-LE150</p> <p>Launching Appliance of free fall lifeboat JY-FH55, JY-FH70, JY-FH90, JY-FH155</p> <p>Platform Davit JY-PL70, JY-PL110, JY-PL150, JY-PL185, JY-PL215</p> <p>Single Arm Boat Raft Davit JY-SAF21, JY-SAF23, JY-SA235, JY-SA375, JY-SR335, JY-SAF33, JY-HSR23/16, JY-HSR33/23, JY-FCR2066, JY-FCR2305</p> <p>Rescue Boat Davit JY-PLR21, JY-LFR27, JY-LRHE18, JY-LRHE30, JY-LRHE70 JY-LFR35, JY-SAP14, JY-SAP30</p> <p>Gravity Overhead Rolling Type Davit JY-HE70, JY-HE95, JY-HE120, JY-HE155</p>

Lloyd's Register Group Limited, its affiliates and subsidiaries and their respective officers, employees or agents are, individually and collectively, referred to in this clause as 'Lloyd's Register'. Lloyd's Register assumes no responsibility and shall not be liable to any person for any loss, damage or expense caused by reliance on the information or advice in this document or howsoever provided, unless that person has signed a contract with the relevant Lloyd's Register entity for the provision of this information or advice and in that case any responsibility or liability is exclusively on the terms and conditions set out in that contract.

		<p>Telescopic Boom Type Davit JY-TBD 120, JY-TBD 215, JY-TBD35</p> <p>Hydraulic Luffing Arm Type Davit JY-GYE70, JY-GYE120, JY-GYE185</p> <p>Connecting Rod Type Davit JY-GL70, JY-GL95, JY-GL120, JY-GL185</p> <p><u>RELEASE HOOK/GEAR</u> Release Mechanism of Lifeboat / Rescue Boat HK40, HK40A, HK50B, HK50A, FHK70, HK70, HK115, LB60MR, LB80MR LB120MR, FHK80, FHK90, LB35MRS, LB70MRS</p> <p><u>WINCH</u> JY-SAP14, JY-D23Z, D23/16Z, JY-SAFC23, JY-D33/23Z, JY-SAF33, JY-LRHE30, JY-PLR21, JY-LFR27, JY-LRHE70 JY-D50S/Z, JY-D70S/Z, JY-D85S/Z, JY-D110S/Z, JY-DW125S, JY-DP110S/Z JY-DP150/Z, JY-DP185, JY-DP215</p>
2	WEST MARINE ENGINEERING PTE LTD / ZHENJIANG WEST MARINE EQUIPMENT CO., LTD	<p><u>DAVIT & WINCH</u> WME-SAD14 - Single arm davit WME-SAD23 - Single arm davit manual operation WME-SAD30 - Single arm davit WME-LR30 - A-frame davit semi hydraulic system WME-LRH30 - A-frame davit fully hydraulic system WME-LRH35 - A-frame davit fully hydraulic system WME-LRH75 - A-frame davit fully hydraulic system WME-MGD185 - Conventional davit WME-HTD30 - Boat raft davit</p>
3	VANGUARDE	<p><u>LIFEBOAT AND RESCUE BOAT</u> VG / VG-FF/FC / KR / DB / DRS / DR4 / HLB / HLBLR / FRK / FRW</p> <p><u>LAUNCHING APPLIANCES</u> LVD / PL / A / PLR / SRH / LR / VA / VAE / VAH / VL / VL-G / VS / VF / HSD</p> <p><u>RELEASE HOOK/GEAR</u> C-SAFE / SPEARHEAD / HK / SHF</p> <p><u>WINCH</u> DW/D / DW/S / SLR / DWP / HW / PRH / VWL / VW/S / VW/Z</p>
4	PALFINGER	<p><u>RESCUE BOAT</u> Palfinger RSQ Noreq FRB</p> <p><u>LAUNCHING APPLIANCES</u> Ned Deck Marine SCH Schat Davit LT</p> <p><u>RELEASE HOOK/GEAR</u> Schat-Harding RRH Schat-Harding RH 1.5 Ned Deck Marine CAR Mills TITAN</p>

		<p><u>WINCH</u> Ned Deck Marine 04</p>
5	VIKING	<p><u>LIFEBOAT</u> Norsafe Mathilda Norsafe JYN Norsafe GES</p> <p><u>LAUNCHING APPLIANCES</u> Norsafe NDSC</p> <p><u>RELEASE HOOK/GEAR</u> Norsafe TOR Nadiro DIB</p>
6	GLOBAL DAVIT	<p><u>LAUNCHING APPLIANCES</u> Global Davit RML Global Davit RMS Global Davit RMH Global Davit RHS</p> <p><u>WINCH</u> Global Davit W</p>
7	BERETTA	<p><u>LAUNCHING APPLIANCES</u> Beretta PF</p>
8	HENRIKSEN	<p><u>RELEASE HOOK</u> All Henriksen Lifting Hooks</p>
9	BC SERVICE	<p><u>RELEASE HOOK</u> BC Service U-Hook</p>
10	DAVIT INTERNATIONAL	<p><u>LAUNCHING APPLIANCES</u> Davit International D-NP Davit International D-CR</p> <p><u>RELEASE HOOK</u> Davit International ALH</p>
11	BOPP	<p><u>LAUNCHING APPLIANCES</u> Bopp DAVIT BHD40</p>
12	HATECKE	<p><u>LIFEBOAT</u> GFF, GFF-T, GSAR, GSL, GSL-T</p> <p><u>RESCUE BOAT</u> RB AB, RB AB Duplex, RB AB FH, RB IB, RB/FRB AB FH</p> <p><u>LAUNCHING APPLIANCES</u> DFR, DFR PAL, DR, FFA, FFA LP, FFB, Gsp.FLH, Gsp.O, GspFP, W07, W10, W26</p>

		<p><u>RELEASE GEAR</u> Duplex 2.6, Duplex 3.0, Duplex 3.5, Duplex 4.3 / 4.6, Duplex 6.0 GFF-R-10, GFF-R-11, GFF-R-8, RAFTI 2.5 Simplex 2.0 Off-Load, Simplex 2.0 to, Simplex 2.0i, Simplex 3.0, Simplex 4.3, Simplex 6.0</p>
--	--	---

This Appendix shall be attached to the Service Supplier certificate No. LR25134452AS and no signature required as this issued electronically.

M. Ayoubi
Surveyor to Lloyd's Register EMEA

a member of the Lloyd's Register group.